

British Pteridological Society Spore Exchange 2011

List of spores available 2011 - Cancelling all previous lists.

Please read carefully before sending in your request.

All correspondence regarding the exchange should be addressed to: A R Busby, 16 Kirby Corner Road, Canley, Coventry CV4 8GD United Kingdom. E-mail – Matt4u@btopenworld.com.

Spores are received in good faith from donors, but cannot be guaranteed true to name, nor are there any assurances about their viability. Names have been checked wherever possible, but there are still irregularities in the naming of cultivars and the use of the 'Group' descriptor may be a helpful way of naming sporelings. Where we have been unable to read, or guess at, a donor's label, we have made our best estimate and added a question-mark. If you can help confirm or correct these please let us know.

Legislation concerning the legality of distributing spores means that we now have to ask prospective donors to our exchange to ensure that the spores they donate are compliant with international law and with their national rules and regulations. We accept spores on the basis that they have been legally acquired and that they can be freely distributed through our exchange with no restrictions as to their use.

MEMBERS IN THE USA requesting spores require a 'Small Lots of Seeds' permit from their government. Information and an application for the permit can be found at:http://www.aphis.usda.gov/import_export/plants/plant_imports/smalllots_seed.shtml

Click on PPQ Form 587, in the boxes at the bottom of the page, or contact USDA-APHIS-PPQ, Permit Unit, 4700 River Rd, Unit 136, Riverdale, MD20737-1236 Tel: 1-877-770-5990 Fax (301) 734-5786

~~When you send me your order form, I need a photocopy of the permit, the conditions attached to it, a green and yellow customs label for that permit, and stamps or mailing account number, for the customs to send on the spores to you.~~

Many items in the list are in very short supply so apply early and give plenty of alternatives where acceptable. Requests will be dealt with in the following order: Overseas donors, home donors, overseas non-donors, home non-donors. We will process requests as quickly as possible, but please allow 6 weeks before enquiring about progress, especially if you applied early. Due to the reorganisation of the Spore Exchange, distribution will begin in the early spring. **PLEASE NOTE: REQUESTS NEED TO ARRIVE BEFORE 31 March 2011.**

Plant Hardiness Zone Maps.

This year's list includes, where possible, plant hardiness zone numbers for north America and Europe. These are collated from 'The Encyclopedia of Garden Ferns' by Sue Olsen, Timber Press, 2007, ISBN 978-0-88192-8198 and 'The Plantfinders Guide to Garden Ferns' by M H Rickard, David and Charles/Timber Press, ISBN 0 71,53 1,536-6. Our sincere thanks to the authors for their kind permission.

DONATIONS of fresh spores to replenish stocks are welcome at any time, but, to be included in the 2011 list, they should be with us as soon after harvesting as possible and before 30 November 2011. Donors whose spores arrived in time for the 2011 list will get priority treatment during the early rush period and can request up to 10 extra packets but, to be fair, we ask that donors should send in at least 5 different taxa to qualify for the whole of this extra allocation.

Each spore packet is labelled with a three part code number. This number should be noted if there are likely to be any future inquiries. The sequence is: year of donation - unique species/taxon number - donor number. Our thanks to the following donors: A R Busby.

I would like to thank the following donors for their contributions; C Brotherton, Y A Cadinouche, B & S Dockerill, J Eek, C Fredemann, R Golding, Y Golding, M Hayward, N Koleszar, K Norgaard-Pedersen, S Olsen, J Rich, J O'Ryan, K Robinson, B Smith, R J Smith, R Theimann, P B Tindley, D Yansura.

1 *Acrostichum aureum*
5 *Adiantum aleuticum* (Z3-8)
1850 *Adiantum aleuticum* 'Imbricatum'
7 *Adiantum aleuticum* 'Subpumillum'
11 *Adiantum capillus-veneris* (Z7-10)
13 *Adiantum capillus-veneris* 'Mairisii' (Z7-9)
138 *Adiantum caudatum*
1874 *Adiantum chilense* (Z7-9)
19 *Adiantum edgeworthii*
24 *Adiantum hispidulum*
33 *Adiantum pedatum* (Z3-8)
34 *Adiantum pedatum* 'Japonicum'
35 *Adiantum pedatum* 'Miss Sharples'
37 *Adiantum polyphyllum*
1648 *Adiantum poiretii*
40 *Adiantum raddianum* 'Aunty Betty'
47 *Adiantum raddianum* 'Gracillimum'
2023 *Adiantum raddianum* 'Lady Geneva'
57 *Adiantum raddianum* 'Splendens'
60 *Adiantum raddianum* 'Variegated Tesselate'
65 *Adiantum reniforme* (Z9-11)
77 *Adiantum venustum* (Z5)
78 *Adiantum whitei*
2015 *Adiantum* sp. Mixed
79 *Aglaomorpha coronans* (Z10-11)
83 *Aleuriopteris* sp.
2003 *Alsophila polystichoides*
90 *Amauropteris tomentosa*
2057 *Arachnoides davalliaeformis*
113 *Arachniodes simplicior* (Z7-9)
115 *Arachnoides standishii* (Z5-9)
116 *Arachniodes webbiana* (Z9)
2031 *Araiostegia parvipinnata* (Z8-9)
1916 *Argyrochosma nivea* var. *Nivea*
1870 *Arthropteris orientalis*
118 *Aspidotis Carlotta-hallii* (Z7)
120 *Asplenium adiantum-nigrum* (Z6-8)
2005 *Asplenium appendiculatum* subsp. *Maritimum*
139 *Asplenium ceterach* (Z5)
1880 *Asplenium daucifolium* (Z9-10)
153 *Asplenium fontanum* (Z5-8)
158 *Asplenium hermionitis* (Z9)
2028 *Asplenium kobayoshi* (Z5-8)
170 *Asplenium monanthes* (Z9)
172 *Asplenium nidus* (Z10-11)
1996 *Asplenium nidus* sp. Cv. 'Philippine'
177 *Asplenium oblongifolium*
190 *Asplenium ruta-muraria* (Z4-8)
193 *Asplenium scolopendrium* (Z5)
215 *Asplenium scolopendrium* 'Marginatum'
220 *Asplenium scolopendrium* 'Muricatum'
225 *Asplenium scolopendrium* 'Ramocristatum'
227 *Asplenium scolopendrium* 'Ramosum Group'
2040 *Asplenium scolopendrium* (ex. Japan)
237 *Asplenium septentrionale* (Z4-8)
245 *Asplenium trichomanes* (Z3-9)
248 *Asplenium trichomanes* 'Incisum'
254 *Asplenium trichomanes* subsp. *Trichomanes*
2036 *Asplenium trichomanes* 'Matt's Remose'
2034 *Asplenium trichomanes* 'Matt's Variegated No. 2'
262 *Athyrium distentifolium*
265 *Athyrium filix-femina* (Z4-8)
267 *Athyrium filix-femina* (Red stipe)
274 *Athyrium filix-femina* 'Compositum Cristatum Fieldi'
279 *Athyrium filix-femina* 'Cristatum'
282 *Athyrium filix-femina* 'Cristata Corymbifera'
320 *Athyrium filix-femina* subsp. *Cyclosorum*
295 *Athyrium filix-femina* 'Frizelliae'
2043 *Athyrium filix-femina* 'Rothsteil'
324 *Athyrium filix-femina* 'Vernoniae'
325 *Athyrium filix-femina* 'Vernoniae Cristata'
326 *Athyrium filix-femina* 'Victoriae'
1949 *Athyrium fimbriatum*
336 *Athyrium iseanum* (Z7-8)
339 *Athyrium niponicum* (Z4-9)
1889 *Athyrium niponicum* 'Burgundy Lace'
341 *Athyrium niponicum* 'Pictum'
1878 *Athyrium niponicum* 'Red Beauty'
1980 *Athyrium niponicum* 'Silver Falls'
1806 *Athyrium niponicum* 'Ursula's Red'
344 *Athyrium otophorum* (Z6-9)
1713 *Athyrium otophorum* 'Okanum'
345 *Athyrium palustre*
1574 *Athyrium rubripes* (Z4-6?)
355 *Athyrium vidalii*
1429 *Belvisia mucronata*
359 *Blechnum ambiguum*
1937 *Blechnum affinis* 'attenuatum'
1714 *Blechnum blechnoides*
2002 *Blechnum buchtienii*
362 *Blechnum australe* (Z8-9)
367 *Blechnum cartilagineum* (Z9-10)
369 *Blechnum chilense* (Z8-9)
370 *Blechnum colensoi* (Z9)
371 *Blechnum discolor* (Z8-9)
2050 *Blechnum falciforme*
373 *Blechnum fluviatile* (Z8-9)
375 *Blechnum gibbum*
377 *Blechnum giganteum*
2037 *Blechnum gregsonii*
1676 *Blechnum hastatum*
380 *Blechnum magellanicum* (Z9)
382 *Blechnum minus*
1618 *Blechnum microphyllum*
1685 *Blechnum novae zealandiae*
384 *Blechnum nudum* (Z8-9)
388 *Blechnum patersonii* (Z9)
389 *Blechnum penna-marina* (Z6-8)
390 *Blechnum penna-marina* 'Cristatum'
391 *Blechnum penna-marina* 'Alpina'
1920 *Blechnum punctulatum* var. *Punctulatum*
404 *Blechnum spicant* (Z4)
409 *Blechnum spicant* 'Serratum'
1764 *Blechnum spicant* (forked USA)
410 *Blechnum tabulare* (Z9-10)
413 *Blechnum watsii* (Z9)
415 *Bolbitis heteroclita*
1856 *Bolbitis subcordata*
1959 *Brainea insignis*
419 *Campyloneuron angustifolium*
424 *Cheilanthes alabamensis* (Z7-10)
425 *Cheilanthes argentea* (Z5-8)
1756 *Cheilanthes bicolor*
438 *Cheilanthes distans* (Z8-10)
442 *Cheilanthes ecklonia*
2038 *Cheilanthes fragrans* (Z8-9)
448 *Cheilanthes grisea*
451 *Cheilanthes hirta*
1989 *Cheilanthes hirta* var. *Hirta*
455 *Cheilanthes jamaicensis* (Z9)
457 *Cheilanthes lanosa* (Z5-8)
1947 *Cheilanthes marantae* (Z6-7)
1784 *Cheilanthes mexicana*
467 *Cheilanthes myriophylla* (Z8-9)
1545 *Cheilanthes nivea*
468 *Cheilanthes notholaenoides*
473 *Cheilanthes pteridioides* (Z8-9)
474 *Cheilanthes pulchella*
1817 *Cheilanthes quadripinnata*
483 *Cheilanthes stanleyi*
485 *Cheilanthes tomentosa* (Z6-8)
486 *Cheilanthes tomentosa* (Santa Rita Mts)
487 *Cheilanthes trichomanoides*
488 *Cheilanthes wootonii* (Z8-9)
2012 *Cheilanthes wrightii* (Z8-9)
490 *Christella dentate*
497 *Cibotium regale*
2020 *Cibotium schiedei* (Z10-11)
498 *Cibotium splendens*
502 *Coniogramma intermedia* (Z8-10)
503 *Coniogramma japonica* (Z7-9)
1910 *Culcita conifolia*

1420 *Cyathea australis*
521 *Cyathea brownii*
1593 *Cyathea colensoi*
529 *Cyathea cunninghamii*
530 *Cyathea dealbata* (Z9-10)
1777 *Cyathea fulva*
1831 *Cyathea incisoserrata*
2018 *Cyathea lechariotiana*
543 *Cyathea medullaris* (Z9-10)
1862 *Cyathea milnei*
2001 *Cyathea poepigii*
546 *Cyathea robertiana*
548 *Cyathea smithii*
561 *Cyathea tomentosa* (Z9-10)
566 *Cyclosorus interruptus*
2016 *Cyclosorus tottooides* (Z8-10?)
571 *Cyrtomium falcatum* (Z7-10)
573 *Cyrtomium falcatum* 'Rochfordianum'
574 *Cyrtomium fortunei* (Z5-10)
575 *Cyrtomium fortunei* 'Clivicola' (Z5-10)
2061 *Cyrtomium macrophyllum* var. *Tukuscicola*
581 *Cystopteris diaphanum* (Z5-9)
582 *Cystopteris dickieana* (Z3-8)
583 *Cystopteris fragilis* (Z2-9)
2045 *Cystopteris millefolium*
589 *Cystopteris regia* (ex. Hort)
594 *Cystopteris sudetica* (Z3-8)
1761 *Cystopteris tennesseensis*
1983 *Cystopteris viridula*
1634 *Davallia solida*?
1998 *Deparia conillii* (Z5-8)
2014 *Deparia japonica* (Z6-9)
1436 *Deparia petersenii*
611 *Dicksonia antarctica* (Z8-10)
613 *Dicksonia fibrosa* (Z9-10)
624 *Diplazium australe* (Z9-10)
2017 *Diplazium downianum*
1805 *Diplazium hachijoense*?
646 *Doodia media* (Z8-10)
655 *Doryopteris pedata*
2051 *Doryopteris* sp. (Brazil)
669 *Doryopteris aemula* (Z6-9)
670 *Doryopteris affinis* (Z4-8)
677 *Doryopteris affinis*, *Cristata* Group 'The King'
680 *Doryopteris affinis* 'Cristata Angusta'
682 *Doryopteris affinis* 'Grandiceps Askew'
683 *Doryopteris affinis* 'Polydactyla'
685 *Doryopteris affinis* 'Ramosissimum Wright'
689 *Doryopteris affinis* subsp. *Affinis*, var. *Disjuncta*
1642 *Doryopteris affinis* morph. *Insolens*
691 *Doryopteris affinis* subsp. *Kerryensis*
1456 *Doryopteris affinis* 'Pinderi'
2056 *Doryopteris affinis* 'Pinderi Crispa'
692 *Doryopteris affinis* subsp. *Punctata*
695 *Doryopteris affinis* subsp. *Borreri*, var. *pseudodisjuncta*
696 *Doryopteris affinis* ssp. *Borreri*, var. *robusta*
1952 *Doryopteris affinis* forma *convexa*
1953 *Doryopteris affinis* subsp. *Kerryensis*
1530 *Doryopteris affinis* ssp. *paleaceo-lobata*
683 *Doryopteris affinis* 'Polydactyla'
686 *Doryopteris affinis* 'Revolvens'
1613 *Doryopteris x ambrosiae*
1853 *Doryopteris aquilinoides*
707 *Doryopteris ardechensis* (Z7)
708 *Doryopteris arguta* (Z7-9)
711 *Doryopteris atrata*
713 *Doryopteris bissetiana* (Z5-9)
714 *Doryopteris blanfordii* (Z5-8)
1958 *Doryopteris borrieri*
1997 *Doryopteris buschiana* (Z4-8)
1955 *Doryopteris cambrensis*
1957 *Doryopteris cambrensis* subsp. *pseudocomplexa*
716 *Dryopteris carthusiana* (Z2-8)
717 *Dryopteris carthusiana* (crested)
718 *Dryopteris caucasica* (Z5-8)
719 *Dryopteris celsa* (Z5-9)
721 *Dryopteris clintoniana* (Z3-8)
1992 *Dryopteris x complexa* ssp. *complexa*
2032 *Dryopteris x complexa* nothosubsp. *Contorta*
1927 *Dryopteris x complexa* *critica*
2024 *Dryopteris x complexa* nothosubsp. *Eschelmuelleri*
1549 *Dryopteris conjugata*
2025 *Dryopteris x convolute* nothosubsp. *Convoluta*
2011 *Dryopteris x convoluta* nothosubsp. *Inconspicua*
1956 *Dryopteris x convoluta* nothosubsp. *Occidentalis*
762 *Dryopteris crassirhizoma* (Z4-8)
727 *Dryopteris crispifolia* (Z7-9)
728 *Dryopteris cristata* (Z3-8)
1951 *Dryopteris x critica*
729 *Dryopteris cycadina* (Z5-8)
730 *Dryopteris cystolepidota* (Z6-8)
1700 *Dryopteris x deweveri*
733 *Dryopteris dickinsii* (Z6-8)
734 *Dryopteris dickinsii* 'Incisa'
737 *Dryopteris dilatata* 'Crispa Whiteside'
742 *Dryopteris dilatata* 'Lepidota Cristata'
744 *Dryopteris erythrosora* (Z6-9)
747 *Dryopteris erythrosora* 'Prolifica'
749 *Dryopteris expansa* (Z3-8)
1985 *Dryopteris expansa* var. *Willeana*
750 *Dryopteris filix-mas* (Z4-8)
751 *Dryopteris filix-mas* 'Barnesii'
1925 *Dryopteris filix-mas* 'Corymbifera'
755 *Dryopteris filix-mas* 'Crispa Cristata'
756 *Dryopteris filix-mas* 'Crispatissima'
1941 *Dryopteris filix-mas* *Cristatum* Group
760 *Dryopteris filix-mas* 'Cristata Martindale'
772 *Dryopteris filix-mas* 'Linearis Polydactyla'
2035 *Dryopteris filix-mas* 'Lloydii'
774 *Dryopteris filix-mas* 'Polydactyla'
776 *Dryopteris filix-mas* /*Polydactyla* *Dadds*'
1928 *Dryopteris filix-mas* *Revolvens*
780 *Dryopteris goldiana* (Z3-8)
2033 *Dryopteris hirtipes*
784 *Dryopteris hondoensis* (Z4-8)
2026 *Dryopteris iranica*
788 *Dryopteris kuratae* (Z7-9)
790 *Dryopteris lacera* (Z5-8)
791 *Dryopteris lepidopoda* (Z6-9)
1943 *Dryopteris ludoviciana* (Z6-9)
795 *Dryopteris marginalis* (Z2-8)
798 *Dryopteris munchii* (Z7-9)
799 *Dryopteris namegatae* (Z6-8)
1558 *Dryopteris neorosthornii* (Z6-8)
1534 *Dryopteris odontoloma*
801 *Dryopteris oligodonta*
802 *Dryopteris oreades* (Z4-8)
1683 *Dryopteris pacifica*
805 *Dryopteris pallida*
808 *Dryopteris pallida* ssp. *raddeana*
1999 *Dryopteris pulcherrima* (Z7)
813 *Dryopteris pycnopteroides* (Z6-9)

814 *Dryopteris remota* (Z4-8)
 1950 *Dryopteris x sarvelae*
 817 *Dryopteris scottii*
 819 *Dryopteris sieboldii* (Z6-9)
 2030 *Dryopteris sordipipes*
 835 *Dryopteris stewartii* (Z6-8)
 836 *Dryopteris sublacera* (Z6-8)
 837 *Dryopteris submontana* (Z5)
 838 *Dryopteris tokyoensis* (Z5-8)
 840 *Dryopteris uniformis* (Z5-8)
 841 *Dryopteris uniformis* 'Cristata'
 2010 *Dryopteris varia*
 843 *Dryopteris wallichiana* (Z6-8)
 873 *Dryopteris submontana*
 846 *Elaphoglossum crinitum*
 2004 *Elaphoglossum nigrescens*
 2059 *Goniophlebium subauriculatum*
 887 *Gymnocarpium dryopteris* (Z2-8)
 1875 *Gymnocarpium fedtschenkoanum*
 2046 *Gymnocarpium x intermedium*
 889 *Gymnocarpium oyamense* (Z7-9)
 890 *Gymnocarpium robertianum* (Z2-8)
 89 *Gymnopteris vestita*
 892 *Hemionitis arifolia*
 1932 *Hemionitis palmata*
 2052 *Heterogonium siebereanum*
 905 *Hypolepis rugulosa* (Z8-10)
 915 *Lastreopsi s microsora* (Z9-10)
 932 *Lygodium japonicum* (Z7-10)
 935 *Macrothelypteris torresiana*
 1964 *Matteuccia x intermedia* (Z2-8?)
 940 *Matteuccia orientalis* (Z5-8)
 941 *Matteuccia pensylvanica*
 942 *Matteuccia struthiopteris* (Z2-8)
 2022 *Merinthosorus drynaroides*
 1866 *Microsorium pustulatum*
 2021 *Microsorium steerei*
 971 *Mohria caffrorum*
 973 *Nephrolepis biserrata*
 1976 *Nephrolepis biserrata* 'Furcans'
 974 *Nephrolepis cordifolia* (Z9-11)
 1987 *Nephrolepis cordifolia* 'Tesselata' (Z9-11)
 981 *Niphidium crassifolium*
 984 *Notholeana marantae* (Z6-9)
 985 *Notholaena nivea*
 994 *Onoclea sensibilis* (Z2-10)
 997 *Onychium contiguum*
 998 *Onychium japonicum* (Z8-10)
 1921 *Ophioderma pendulum* ssp. *Falcatum*
 1002 *Oreopteris limbosperma* (Z5-8)
 1007 *Parathelypteris noveboracensis*
 1009 *Pellaea andromedifolia* (Z8-9)
 1011 *Pellaea atropurpurea* (Z4-9)
 1013 *Pellaea calomelanos*
 1015 *Pellaea cordifolia* (Z9-10)
 1017 *Pellaea falcata* (Z9-10)
 1415 *Pellaea glabella*
 2042 *Pellaea intermedia*
 1021 *Pellaea ovata* (Z8-10)
 1023 *Pellaea rotundifolia* (Z9)
 2007 *Pellaea viridis* 'Macrophyllum' (Z9-10)
 1732 *Pentagramma triangularis*
 1032 *Phegopteris connectilis* (Z2-8)
 1033 *Phegopteris decursive-pinnata* (Z4-9)
 1776 *Phlebodium aureum*
 1048 *Phymatosorus scolopendria*
 1050 *Pityrogramma calomelanos*
 1969 *Pityrogramma aurea flava*
 1893 *Plagiogyria pycnophylla*
 1058 *Platycterium allicorne*
 1060 *Platycterium bifurcatum*
 1065 *Platycterium coronarium*
 1971 *Platycterium diversifolium*
 1792 *Platycterium hillii*
 1077 *Platycterium superbum*
 1079 *Platycterium wallichii*
 1970 *Platycterium wil linckii*
 1086 *Pneumatopteris pennigera*
 1090 *Polypodium californicum* (Z8)
 1091 *Polypodium australe* (Z7-9)
 1616 *Polypodium australe* 'Crenatum'
 1094 *Polypodium australe* 'Grandiceps Fox'
 1663 *Polypodium australe* 'Omnilacerum Rickard'
 1795 *Polypodium australe* 'Pulcherrimum' (sub-crested)
 1101 *Polypodium australe* 'Pulchritudine'
 1102 *Polypodium australe* 'Semilacerum'
 1526 *Polypodium australe* 'Semilacerum falcatum O'Kelly'
 1799 *Polypodium australe* 'Semilacerum Jubilee'
 1090 *Polypodium californicum*
 2054 *Polypodium cambricum* 'Richard Kayse'
 1995 *Polypodium decumanum?* Hawai
 1113 *Polypodium glycyrrhiza*
 1115 *Polypodium interjectum* (Z5-8)
 1988 *Polypodium pellucidum* 'Volcanicum'
 1124 *Polypodium scouleri* (Z8-9)
 1982 *Polypodium sinningtonense*
 1128 *Polypodium vulgare* (Z5-8)
 1132 *Polypodium vulgare* 'Ramosum'
 1134 *Polystichum acrostichoides* (Z3-9)
 1135 *Polystichum aculeatum* (Z4-8)
 1944 *Polystichum affinis* 'Plicatum'
 1865 *Polystichum ammifolium*
 1141 *Polystichum andersonii* (Z6-8)
 1533 *Polystichum x bicknellii*
 1143 *Polystichum braunii* (Z3-8)
 2008 *Polystichum concinnum*
 1562 *Polystichum dracomontanum* (Z6-8)
 1146 *Polystichum x dycei* (Z6-8)
 1148 *Polystichum drepanum* (Z8-9)
 1150 *Polystichum falcinellum* (Z7-8)
 1157 *Polystichum lachenense* (Z6-8)
 1161 *Polystichum lonchitis* (Z3-8)
 1162 *Polystichum makinoi* (Z5-9)
 1165 *Polystichum mohroides*
 2058 *Polystichum monticola*
 1486 *Polystichum microchlamys*
 1168 *Polystichum munitum* (Z6-9)
 1173 *Polystichum neolobatum* (Z5-8)
 2013 *Polystichum ovato-palaceum* (Z8)
 1177 *Polystichum polyblepharum* (Z6-9)
 2041 *Polystichum proliferum* (Crested)
 1984 *Polystichum pseudo-makinoi*
 1180 *Polystichum richardii* (Z9)
 1181 *Polystichum rigens* (Z6-8)
 1183 *Polystichum setiferum* (Z5-8)
 1186 *Polystichum setiferum* 'Acutilobum'
 1192 *Polystichum setiferum* 'Congestum'
 1205 *Polystichum setiferum* *Cristatum* Group
 1207 *Polystichum setiferum* *setiferum* 'Dahlem'
 1213 *Polystichum setiferum* *Divisilobum* Group
 1215 *Polystichum setiferum* 'Divisilobum Ivery'
 1219 *Polystichum setiferum* 'Leinthall Starkes'
 1226 *Polystichum setiferum* 'Imbricatum'
 1230 *Polystichum setiferum* 'Lineare'
 1235 *Polystichum setiferum* 'Perserratum Group'

Cut Here-----
This cut-off slip should fit into a standard DL window envelope for your convenience.

A R Busby,
16 Kirby Corner Road,
Canley,
Coventry
CV4 8GD
United Kingdom.