

NOMENCLATURAL CHANGES OF SOME  
PHYTOSEIID MITES  
(ACARINA: PHYTOSEIIDAE)<sup>1</sup>

H. A. DENMARK

Division of Plant Industry, Florida Department of  
Agriculture and Consumer Services,  
Gainesville 32602.

ABSTRACT

*Amblyseius usitatus* Denmark and Muma, a primary homonym of *Amblyseius* van der Merwe, is hereby renamed *Amblyseius pravus* Denmark. *Typhlodromus helveolus* Chant is hereby designated as the type species for the genus *Galendromus* Muma rather than *Typhlodromus floridanus* Muma due to page priority.

*Amblyseius usitatus* van der Merwe (1965:71) from Potchefstroom, Transvaal, South Africa and *Amblyseius usitatus* Denmark and Muma (1973:245) from Rio Claro, Sao Paulo, Brazil are primary homonyms. *Amblyseius usitatus* Denmark and Muma is hereby renamed *Amblyseius pravus* Denmark, new name. Van der Merwe's species *Amblyseius usitatus* is hereby placed in the genus *Neoseiulus* Muma (new combination), since it has all of the salient features of that genus.

*Amblyseiopsis floridanus* Muma (1955:264) and *Typhlodromus floridanus* Muma (1955:269) became secondary homonyms when Chant (1959:58, 85) placed both species in the genus *Typhlodromus* Scheuten. He renamed *Typhlodromus floridanus* Muma (1955:269) as *Typhlodromus helveolus* Chant because of the page priority of *Typhlodromus* (= *Amblyseiopsis*) *floridanus* (Muma) (1955:264). Muma (1961:298) revived the name *T. floridanus* Muma (1955:269) and designated it as the type species of his new genus *Galendromus*. According to Article 59c of the International Commission of Zoological Nomenclature (1974), Muma was in error in using *Typhlodromus floridanus* Muma (1955:269) as the type species of *Galendromus*, since Chant rejected the name before 1960. *Typhlodromus helveolus* Chant is here designated as the type species of the genus *Galendromus* Muma. Muma and Denmark (1968:232) designated *Amblyseiopsis floridanus* Muma as the type species of the genus *Chelaseius* Muma and Denmark. Thus, neither of the species with the name *floridanus*, as described by Muma in 1955, is now in its original genus. One (originally in *Amblyseiopsis* p. 264) is now the type species of the genus *Chelaseius* and the other (originally in *Typhlodromus*, p. 269) has had the specific name changed to *helveolus* and is the type species of the genus *Galendromus*.

LITERATURE CITED

- CHANT, D. A. 1959. Phytoseiid mites (Acarina: Phytoseiidae). Part I. Biology of seven species in southeastern England. Part II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species. Can. Ent. 91, Suppl. 12:1-166.

1. Contribution No. 392, Bureau of Entomology.

- DENMARK, H. A., AND M. H. MUMA. 1973. Phytoseiid mites of Brazil (Acarina: Phytoseiidae). *Rev. Brasil. Biol.* 33(2):235-276.
- VAN DER MERWE, G. G. 1968. A taxonomic study of the family Phytoseiidae (Acari) in South Africa with contributions to the biology of two species. *Repub. S. Africa, Dep. Agr. Tech. Serv. Ent. Memoirs* 18:1-198.
- MUMA, M. H. 1955. Phytoseiidae (Acarina) associated with citrus in Florida. *Ann. Ent. Soc. America* 48:262-72.
- MUMA, M. H. 1961. Subfamilies, genera and species of Phytoseiidae (Acarina: Mesostigmata). *Bull. Fla. Ent. Suppl.* 1:15-41.
- MUMA, M. H., AND H. A. DENMARK. 1968. Some generic descriptions and name changes in the family Phytoseiidae (Acarina: Mesostigmata). *Fla. Ent.* 51:229-240.

---

# PRINTING

*Specializing in Books and Publications*

## Storter Printing Co.

GAINESVILLE, FLORIDA

---