

## S U P P L E M E N T .

---

THE following species of Tenthredinidæ, Cynipidæ, Figitidæ, Chalcididæ, Trigonalidæ, and Proctotrupidæ have been described or noticed by me since the preceding pages were published\*. Some errata in the published text and plates are also corrected here.

### STRONGYLOGASTER (p. 4).

#### 11. **Strongylogaster melanostoma.**

*Strongylogaster melanosoma*, anteà, p. 10.

The specific name of this species is incorrectly printed on p. 10.

#### 16. **Strongylogaster leucostoma.**

*Strongylogaster leucosoma*, anteà, p. 12.

#### 29. **Strongylogaster rogenhoferi.**

*Strongylogaster rogenhoferi*, Camer. Trans. Ent. Soc. Lond. 1884, p. 483<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*Bilimek, in Mus. Vind. Cæs.*<sup>1</sup>).

#### 30. **Strongylogaster fumipennis.** (Tab. XX. fig. 15.)

*Strongylogaster fumipennis*, Camer. Trans. Ent. Soc. Lond. 1884, p. 484<sup>1</sup>.

*Hab.* MEXICO<sup>1</sup>.

### BLENNOCAMPA (p. 31).

#### 7. **Blennocampa bicolorata.**

*Blennocampa bicolorata*, Camer. Trans. Ent. Soc. Lond. 1884, p. 483<sup>1</sup>.

*Hab.* MEXICO, Chapultepec and Orizaba (*Bilimek, in Mus. Vind. Cæs.*<sup>1</sup>).

### EMPHYTUS (p. 35).

#### 1. **Emphytus aztecus.**

*Emphytus aztecus*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 163 (1888)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*<sup>1</sup>).

\* [The types of the species marked with an asterisk cannot now be found.—ED.]

Subfam. *NEMATINA* (to precede the subfamily *Hylotomina*, p. 35).

NEMATUS.

*Nematus*, Jurine, Nouv. méth. Class. Hymén. p. 59 (1807).

1. ***Nematus mexicanus*** \*.

*Nematus mexicanus*, Camer. Trans. Ent. Soc. Lond. 1884, p. 481<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

EUURA (to follow the genus *Nematus*).

*Euura*, Newman, Ent. Mag. iv. p. 259 (1837).

*Cryptocampus*, Hartig, Fam. d. Blatt- und Holzwesp. p. 221 (1837).

1. ***Euura mexicana***. (Tab. XX. fig. 17.)

*Euura mexicana*, Camer. Trans. Ent. Soc. Lond. 1884, p. 482<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

HEMICHROA (to follow the genus *Euura*).

*Hemichroa*, Stephens, Illustr. Brit. Ent., Mand. vii. p. 55 (1835).

*Leptocerca*, Hartig, Fam. d. Blatt- und Holzwesp. p. 228 (1837).

1. ***Hemichroa nigricans*** \*. (Tab. XX. fig. 16.)

*Hemichroa nigricans*, Camer. Trans. Ent. Soc. Lond. 1884, p. 482<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

HYLOTOMA (p. 35).

***Hylotoma basimacula*** (p. 36). (Tab. XX. fig. 14.)

The reference to the figure was omitted on p. 36.

PTILIA (p. 43).

5. ***Ptilia crassula***. (Tab. XX. fig. 18.)

*Ptilia crassula*, Camer. Trans. Ent. Soc. Lond. 1884, p. 484<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

6. ***Ptilia luteiventris***.

*Ptilia luteiventris*, Camer. Trans. Ent. Soc. Lond. 1884, p. 485<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

7. **Ptilia nigerrima.** (Tab. XX. fig. 19.)

*Ptilia nigerrima*, Camer. Trans. Ent. Soc. Lond. 1884, p. 485<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

ANDRICUS (to follow the genus *Synergus*, p. 72).

*Andricus*, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 185 (1840).

*Aphilothrix*, Förster, Verh. zool.-bot. Ges. Wien, xix. pp. 331, 336 (1869).

This is a dimorphic genus, *Andricus* being the spring bisexual and *Aphilothrix* the autumnal agamic (unisexual) form.

1. **Andricus (Aphilothrix) aztecus.** (Tab. XX. fig. 23.)

*Andricus (Aphilothrix) aztecus*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 261 (1897)<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

AULAX (to follow the genus *Andricus*).

*Aylax*, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 186 (1840).

*Aulax*, Dalla Torre, Cat. Hymen. ii. p. 119 (1893).

1. **Aulax rufipes.** (Tab. XX. fig. 21.)

*Aulax rufipes*, Camer. Trans. Ent. Soc. Lond. 1884, p. 485<sup>1</sup>.

*Hab.* MEXICO (*Bilimek*, in *Mus. Vind. Cæs.*<sup>1</sup>).

EUCÆLA (to precede the genus *Cothonaspis*, p. 73).

*Eucoila*, Westwood, Mag. Nat. Hist. vi. p. 494 (1833).

*Eucæla*, Dalla Torre, Cat. Hymen. ii. p. 15 (1893).

1. **Eucæla claripennis** \*.

*Eucoila claripennis*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 14 (1889)<sup>1</sup>.

*Hab.* MEXICO, Vera Cruz (*H. H. Smith*<sup>1</sup>).

2. **Eucæla mexicana** \*.

*Eucoila mexicana*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 14 (1889)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*<sup>1</sup>).

3. **Eucæla marginicollis** \*.

*Eucoila marginicollis*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 15 (1889)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*<sup>1</sup>).

4. **Eucœla incisa.**

*Eucœla incisa*, Camer. Trans. Ent. Soc. Lond. 1884, p. 486<sup>1</sup>.

*Hab.* MEXICO (*Bilimek*, in *Mus. Vind. Cæs.*<sup>1</sup>).

## COTHONASPIS (p. 73).

2. **Cothonaspis rufiventris.**

*Cothonaspis rufiventris*, Camer. Trans. Ent. Soc. Lond. 1884, p. 486<sup>1</sup>.

*Hab.* MEXICO (*Bilimek*, in *Mus. Vind. Cæs.*<sup>1</sup>).

GRONOTOMA (to follow the genus *Cothonaspis*, p. 73).

*Gronotoma*, Förster, Verh. zool.-bot. Ges. Wien, xix. pp. 342, 346 (1869).

1. **Gronotoma gracilicornis** \*.

*Gronotoma gracilicornis*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. ii. p. 15 (1889)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*<sup>1</sup>).

ANACHARIS (to precede the genus *Balna*, p. 73).

*Anacharis*, Dalman, Anal. Ent. p. 96 (1823).

*Megapelmus*, Hartig, in Germar's Zeitschr. f. Ent. ii. p. 186 (1840).

1. **Anacharis mexicanus.** (Tab. XX. fig. 22.)

*Megapelmus mexicanus*, Camer. Trans. Ent. Soc. Lond. 1884, p. 487<sup>1</sup>.

*Hab.* MEXICO (*Bilimek*, in *Mus. Vind. Cæs.*<sup>1</sup>).

IBALIA (to follow the genus *Anacharis*).1. **Ibalia ruficollis.** (Tab. XX. fig. 20.)

*Ibalia ruficollis*, Camer. Trans. Ent. Soc. Lond. 1884, p. 488<sup>1</sup>.

*Hab.* MEXICO, Pinos Altos in Chihuahua (*Buchan-Hepburn*<sup>1</sup>).

## SMICRA (p. 78).

52. **Smicra ardens.**

*Smicra ardens*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 262 (1897)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*).

53. **Smicra divinatrix.**

*Smicra divinatrix*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 263<sup>1</sup>.

*Hab.* HONDURAS, Ruatan I. (*Gaumer*<sup>1</sup>).

54. **Smicra fasciola.**

*Smicra fasciola*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 264 (1897)<sup>1</sup>.

*Hab.* MEXICO, Northern Sonora (*Morrison*<sup>1</sup>).

55. **Smicra armillata.**

*Smicra armillata*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 264 (1897)<sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith*<sup>1</sup>).

## LIRATA (p. 102).

**Lirata luteogaster** (p. 102).

Figured by me under the name *Schizaspidia flaviventris*, on Tab. V. figg. 16, 16 a.

## KAPALA (p. 103).

**Kapala furcata** (p. 103).

Figured by me under the name *Schizaspidia furcata*, on Tab. V. figg. 17, 17 a-d.

Subfam. *PERILAMPINÆ* (to precede the subfamily Eupelminæ, p. 114).

## PERILAMPUS.

*Perilampus*, Latreille, Gen. Crust. et Ins. iv. p. 30 (1809).

1. **Perilampus mexicanus.**

*Perilampus mexicanus*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 265 (1897)<sup>1</sup>.

*Hab.* MEXICO, Vera Cruz (*H. H. Smith*<sup>1</sup>).

2. **Perilampus antennatus.**

*Perilampus antennatus*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 266 (1897)<sup>1</sup>. *not Walker*

*Hab.* MEXICO, Vera Cruz (*H. H. Smith*<sup>1</sup>).

## ICHNEUMON (p. 137).

**Ichneumon mexicanus** (p. 144). (Tab. VIII. fig. 1.)

The reference to the figure was omitted on p. 144.

**Ichneumon suffultus** (p. 144). (Tab. VIII. fig. 2.)

The reference to the figure was omitted on p. 144.

## MESOSTENUS (p. 214).

**Mesostenus brachygaster** (p. 219).

*Hab.* GUATEMALA, Las Mercedes (*Champion*).

The locality was omitted on p. 219.

## LABENA (p. 277).

**Labena grallator** (p. 277). (Tab. XII. fig. 7.)

The reference to the figure was omitted on p. 277.

## BRACON (p. 312).

**Bracon albipalpis** (p. 315). (Tab. XVII. fig. 6, ♀.)

The reference to the figure of the female of this species was omitted on p. 315.

## RHOGAS (p. 389).

**Rhogas bugabensis** (p. 391). (Tab. XVII. figg. 1 a-c.)

The reference to the figures of the mouth-parts of this insect was omitted on p. 391.

## TRIGONALYS (p. 434).

4. **Trigonalys scutellaris.**

*Trigonalys scutellaris*, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 267 (1897)<sup>1</sup>.

*Hab.* MEXICO, Omilteme in Guerrero 8000 feet (*H. H. Smith*<sup>1</sup>).

5. **Trigonalys maculifrons.**

*Trigonalys maculifrons*, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 268 (1897)<sup>1</sup>.

*Hab.* MEXICO, Teapa in Tabasco (*H. H. Smith*<sup>1</sup>).

6. **Trigonalys apicipennis.**

*Trigonalys apicipennis*, Camer. Ann. & Mag. Nat. Hist. (6) ix. p. 269 (1897)<sup>1</sup>.

*Hab.* MEXICO, Atoyac in Vera Cruz (*H. H. Smith*<sup>1</sup>).

7. **Trigonalys flavonotata.**

*Trigonalys flavonotata*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 270 (1897)<sup>1</sup>.

*Hab.* MEXICO, Xucumanatlan in Guerrero 7000 feet (*H. H. Smith*<sup>1</sup>).

8. **Trigonalys fasciatipennis.**

*Trigonalys fasciatipennis*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 271 (1897)<sup>1</sup>.

*Hab.* MEXICO, Atoyac in Vera Cruz [♀], Venta de Zopilote in Guerrero [♂] (*H. H. Smith*<sup>1</sup>).

9. **Trigonalys championi.** (Tab. XX. fig. 24.)

*Trigonalys championi*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 273 (1897)<sup>1</sup>.

*Hab.* GUATEMALA, Panima in Vera Paz (*Champion*<sup>1</sup>).

## DRYINUS (p. 444).

**Dryinus maculicornis** (p. 444).

To the localities given, add:—GUATEMALA, Mirandilla (*Champion*).

The Guatemalan habitat was omitted on p. 444.

## EPYRIS (p. 449).

10. **Epyris rufipes.**

*Epyris rufipes*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 173 (1888) <sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith* <sup>1</sup>).

11. **Epyris punctatus.**

*Epyris punctatus*, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 174 (1888) <sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith* <sup>1</sup>).

12. **Epyris orizabæ.**

*Epyris orizabæ*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 273 (1897) <sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith* <sup>1</sup>).

13. **Epyris palliditarsis.**

*Epyris palliditarsis*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 274 (1897) <sup>1</sup>.

*Hab.* MEXICO, Teapa in Tabasco (*H. H. Smith* <sup>1</sup>).

14. **Epyris scutellaris.**

*Epyris scutellaris*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 275 (1897) <sup>1</sup>.

*Hab.* MEXICO, Tierra Colorada in Guerrero 2000 feet (*H. H. Smith* <sup>1</sup>).

15. **Epyris montezuma.**

*Epyris montezuma*, Camer. Ann. & Mag. Nat. Hist. (6) xix. p. 276 (1897) <sup>1</sup>.

*Hab.* MEXICO, Orizaba (*F. D. G. and H. H. Smith* <sup>1</sup>).

## MESITIUS (p. 455).

**Mesitius longicollis** (p. 455).

The locality in Mexico, Cordova, was omitted on p. 455.

## CORRIGENDUM.

On Tab. XVII. fig. 15 a species of Ichneumonidæ, subfam. Ophioninæ, is figured under the name *Pharsalia albofacialis*: this insect is not mentioned in the text, and as the locality-label has been lost, it is not advisable to describe it now.