

New Insecta from Queensland.

—○—
A. A. GIRAULT.

1.—*Euthrips biguttaticorpus*—Lemon; forewings black except near base, for length equal basal black, and at tip for a bit longer than the basal black area; male similar; young white.



2.—*Eupelmus atriflagellum*.—As tricolor but ovispositor, white at tip, barely extruded; antennae save scape black; head, abdomen save white band, scutum, femora and tibiae above, cephalic mesopleurum aeneus. Funicles 2-5 over twice longer than wide; eggs *Ectobia germanica*, Brisbane, Dodd; also Rockhampton (type) April 13, 1923, hotel and Toowoomba, February. Cosmopolitan?



3.—*Lissopimpla atra* (Pimplinae)—All black, so wings, stigma, legs 1-2 save coxae, red, also femur 3, tibia 3, suffused red. Funicles 12-15, white above; apophyses white tipped, upper inner orbit white. Brisbane, April 28, 1914 (H. Hacker).



4.—*Theocolaxia* (Spalangiinae)—Antennae 9-jointed, larger, solid club. Wing as in *Neosciatheras* as to shape, venation fringes. Pronotum square, exceeding scutum. Parapsides shorter than scutum, convex. Axillar sutures meeting cephalad; scutellum plane; propodeum rugulose, irregular median and lateral carinae. Petiole short; abdomen equal rest of body, ovate, ovipositor three-quarters its length. Jaws 4 dentate.



T. lessingi.—Black, glabrous; knees, tibia 1 beneath; tips tibiae, Petiole, red. Coxa 3; basal one-third ovipositor, white, also apex club, Antennae red save club, base Pedicel, funicles 5-6; fore wing with cross stripe apex stigmal and distal half of marginal and a central spot opposite bend of sub-marginal. Funicle 1 equal pedicel. Sand dunes, Main Beach, Southport, May 5, 1924.

Gympie, December 20, 1924.